Application Control Camber 09/993,695 Amdt. Dated July 29, 2003 Reply to Office Action of Jan. 29, 2003

Amendment to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claim 1 (currently amended) A heat shrinkable film laminate useful for packaging comprising in order:

- (a) a heat shrinkable film comprising a polymer having at least 80% by weight polyethylene terephthalate polymer, wherein said film is biaxially oriented in the range of about 5% to about 55%, said film having an outer surface and an inner surface; and
- (b) a solventless adhesive coating; and
- (c) a film having <u>no heat shrinkage or</u> a heat shrinkage of at least 5% less than <u>said heat shrinkable film</u> (a).

Claim 2 (currently amended) The laminate of claim 1 wherein the film of (c) having a heat shrinkage of at least 10% less than <u>said heat shrinkable film</u> (a).

Claim 3 (original) The laminate of claim 1 wherein the film of (c) having substantially no heat shrinkage.

Claim 4 (original) The laminate of claim 1 wherein the film of (c) is selected from the group consisting of nylon, polypropylene, polyethylene, ionomer, acid copolymer, ethylene vinyl acetate, polyethylene terephthalate, polystyrene, ethylene vinyl alcohol, polyvinylidene chloride, and coextruded combinations thereof.

Claim 5 (original) The laminate of claim 1 wherein the solventless adhesive coating (b) is selected from the group consisting of waterborne acrylic emulsion and polyurethane.

Claim 6 (original) The laminate of claim 1 wherein the solventless adhesive coating (b) is elastomeric.



Application Control Cumber 09/993,695 Amdt. Dated July 29, 2003 Reply to Office Action of Jan. 29, 2003

Claim 7 (original) The laminate of claim 6 wherein the solventless adhesive coating (b) is polyurethane.

Claim 8 (currently amended) A heat shrinkable film laminate useful for packaging comprising in order:

- (a) a heat shrinkable film comprising a polymer having at least 80% by weight polyethylene terephthalate polymer, wherein said film is biaxially oriented in the range of about 5% to about 55%, said film having an outer surface and an inner surface; and
- (b) a solventless adhesive coating; and
- (c) a film having a heat shrinkage of at least 5% less than <u>said heat</u> <u>shrinkable film</u> (a), and
- (d) further comprising a barrier layer adjacent the heat shrinkable film (a).

Claim 9 (currently amended) The laminate of claim 8 wherein the film of (c) having a heat shrinkage of at least 10% less than <u>said heat shrinkable film</u> (a).

Claim 10. (original) The laminate of claim 8 wherein the film of (c) having substantially no heat shrinkage.

Claim 11 (original) The laminate of claim 8 wherein the film of (c) is selected from the group consisting of nylon, polypropylene, polyethylene, ionomer, acid copolymer, ethylene vinyl acetate, polyethylene terephthalate, polystyrene, ethylene vinyl alcohol, polyvinylidene chloride, and coextruded combinations thereof.

Claim 12 (original) The laminate of claim 8 wherein the solventless adhesive coating (b) is selected from the group consisting of waterborne acrylic emulsion and polyurethane.

Claim 13 (original) The laminate of claim 8 wherein the solventless adhesive coating (b) is elastomeric.

Claim 14 (original) The laminate of claim 13 wherein the solventless adhesive coating (b) is polyurethane.

Application Control Cumber 09/993,695 Amdt. Dated July 29, 2003 Reply to Office Action of Jan. 29, 2003

Claim 15 (currently amended) A package adopted to contain a food comprising a tray in combination with a heat shrinkable film laminate comprising in order:

- (a) a heat shrinkable film comprising a polymer having at least 80% by weight polyethylene terephthalate polymer, wherein said film is biaxially oriented in the range of about 5% to about 55%, said film having an outer surface and an inner surface; and
- (b) a solventless adhesive coating; and
- (c) a film having a heat shrinkage of at least 5% less than <u>said heat</u> <u>shrinkable film</u> (a), and
- (d) further comprising a barrier layer adjacent the heat shrinkable film (a).